



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/535,065	10/24/2005	Catherine Robert	S1022.81242US00	1848
46329	7590	02/13/2009		
STMicroelectronics Inc. c/o WOLF, GREENFIELD & SACKS, P.C. 600 Atlantic Avenue BOSTON, MA 02210-2206			EXAMINER VICARY, KEITH E	
			ART UNIT	PAPER NUMBER
			2183	
			MAIL DATE	DELIVERY MODE
			02/13/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/535,065	Applicant(s) ROBERT ET AL.	
	Examiner Keith Vicary	Art Unit 2183	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 November 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/25/2008 has been entered.

2. Claims 1-15 are pending in this office action and presented for examination. Claims 1-9 and 11 are newly amended and claims 12-15 are newly added by amendment filed 11/25/2008.

Claim Objections

3. Claim 1 is objected to because of the following informalities. Appropriate correction is required.

- a. Claim 1 recites the limitation "when it is determined that that the address" in line 11, which presumably has an inadvertent duplication of "that".

Claim Rejections - 35 USC § 112

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

Art Unit: 2183

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5. Claims 12-15 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

6. Claims 12-15 recite the limitation "a modification...is reduced" in lines 1-2. It is indefinite as to what a modification is referring to, and in what way it is being "reduced" as a modification can presumably have many different traits which can be "reduced."

7. Claims 13-15 recite the limitation "a modification of the at least one digital message to indicate the type of the implicit jump is reduced by adding the field only when the at least one digital message is provided as the implicit jump message" or a slight variant therefor. It is indefinite as to the intent of the limitation as their corresponding independent claims (claims 7, 8, and 11 respectively) appear to recite the identical concept (e.g. claim 8's, "only when the jump is implicit...adding an additional field to the implicit jump message, wherein the additional field includes a value identifying a type of the implicit jump"). Therefore, assuming that the claimed limitations can be interpreted in a manner which further narrows the scope of the claim, it is indefinite as to whether this interpretation or the clear-cut interpretation is applicable. Note that alternatively, an issue may arise in that claims 13-15 would not narrow the scope of the parent claim.

Claim Rejections - 35 USC § 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. Claims 1-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Nexus 5001 Forum: Standard for a Global Embedded Processor Debug Interface

(Nexus 5001 Forum) in view of Argade et al. (Argade) (US 5724505).

10. Nexus 5001 Forum is cited by the applicant in IDS paper filed 5/13/2005.

11. Argade is cited by the applicant in IDS paper filed 5/13/2005.

12. **Consider claim 1**, Nexus 5001 Forum discloses a method for transmitting digital messages (page 52 of 150, section 6.2, transmission), on execution of an instruction sequence by a microprocessor (page 59 of 150, last paragraph, message is output by the target processor whenever there is a change of program flow), through output terminals of a monitoring circuit integrated on the microprocessor (Table 7-1, Auxiliary Pins required per interface), at least one digital message of said digital messages being representative of characteristic data stored by the monitoring circuit on detection of a jump in the execution of an instruction sequence from an initial instruction to a destination instruction different from an instruction following the initial instruction in the instruction sequence (page 59 of 150, Table 6-6 and 6-7, branch message and indirect branch messages), the method comprising, the steps of: determining whether the jump is associated with a jump instruction explicitly indicating an address of a destination

Art Unit: 2183

instruction of the jump (Table 6-6 and Table 6-7, which shows the resulting messages based on the determination; a determination is inherent for the appropriate message to be sent); when it is determined that the address of the destination instruction is explicitly indicated in the jump instruction: assigning a first value to a first set of bits of at least one digital message to provide an explicit jump message, and transmitting the explicit jump message; and when it is determined that the address of the destination instruction is not explicitly indicated in the jump instruction: assigning a second value to the first set of bits of at least one digital message to provide an implicit jump message indicating an occurrence of an implicit jump, and transmitting the implicit jump message (Table 6-6 and Table 6-7, when yes, Table 6-6 shows that the TCODE set of bits will be equal to 3; when no, Table 6-7 shows that the TCODE set of bits will be equal to 4; page 52 of 150, section 6.2, transmission).

However, Nexus 5001 Forum does not explicitly disclose adding a field to the implicit jump message, the field comprising a second set of bits identifying a type of the implicit jump from among several types of implicit jumps, wherein the field is added only when the address of the destination instruction is not explicitly indicated in the jump instructions.

On the other hand, Argade does disclose of identifying a jump as an implicit jump from among several types of implicit jumps by assigning to a set of bits a specific value (col. 5, lines 39-45, the INSTR_TYPE, which is part of a digital message of lines 24-27, with the types of implicit jumps being type_1 and type_2, in col. 5, lines 49-65).

Art Unit: 2183

Argade's teaching of identifying an implicit jump from among several types of implicit jumps enables real-time program tracing which enables the user to re-construct a full program trace (Argrade, col. 5, lines 35-38).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teaching of Argade with the invention of the Nexus 5001 Forum in order to successfully debug most programs, as explained above. Note that the combination of Argade and Nexus would teach the claimed limitations, which is explained as follows.

Argade teaches of identifying types of implicit jumps in trace information. The invention of Nexus entails sending out trace information via digital messages. It would have been further obvious to one of ordinary skill in the art at the time of the invention to include the trace information of Argade into the digital messages of Nexus in order to decrease cost and space, for example (e.g. incorporating the type of implicit jump in the tracing mechanisms already existing in Nexus, as opposed to creating some entirely new method of trace information transmission solely for the use of conveying implicit jump type information, would obviate the cost of this hypothetical new method of trace information transmission as well as the space necessary to implement this hypothetical new method of trace information transmission. The implementation of the trace information of Argade into the digital messages of Nexus thus teaches the limitations of adding a field to the digital message, the field comprising a second set of bits identifying a type of the implicit jump from among several types of implicit jumps.

Additionally, it would have been further obvious to one of ordinary skill in the art at the time of the invention to include the trace information of Argade, which identifies types of implicit jumps, in only the implicit jump messages of Nexus, in order to increase efficiency, as an explicit jump message of Nexus would logically have no use for information identifying a type of implicit jump (as an explicit jump is not an implicit jump at all), and forgoing the field in explicit jump messages would decrease the size of the explicit jump messages, thus increasing transmission efficiency. The implementation of the trace information of Argade into the digital messages of Nexus thus teaches the limitations of adding a field to the implicit jump message wherein the field is added only when the address of the destination instruction is not explicitly indicated in the jump instructions.

13. **Consider claim 7**, Nexus 5001 Forum discloses means for detection of a jump on execution of an instruction sequence by the microprocessor (Nexus 51001 Forum, Table 6-6 and 6-7); means for storing data characteristic of the detected jump (page 59 of 150, Table 6-6 and 6-7, branch message and indirect branch messages); means for generating at least one digital message based on the stored characteristic data, the at least one digital message comprising a first set of bits, wherein: the first set of bits is set to a first value when the jump is associated with a jump instruction of the instruction sequence explicitly indicating an address of a destination instruction of the jump to provide an explicit jump message, and the first set of bits set to a second value when the jump is associated with a jump instruction of the instruction sequence not explicitly

Art Unit: 2183

indicating the address of the destination instruction to provide an implicit jump message indicating an occurrence of an implicit jump (Table 6-6 and Table 6-7, when yes, Table 6-6 shows that the TCODE set of bits will be equal to 3; when no, Table 6-7 shows that the TCODE set of bits will be equal to 4); and means for transmitting the generated at least one digital message (page 52 of 150, section 6.2, transmission).

However, Nexus 5001 Forum does not explicitly disclose, only when the first set of bits is set to the second value, the generation means adds a field to the implicit jump message, the field comprising a second set of bits identifying a type of the implicit jump from among several implicit jump types.

On the other hand, Argade does disclose of identifying a jump as an implicit jump from among several types of implicit jumps by assigning to a set of bits a specific value (col. 5, lines 39-45, the INSTR_TYPE, which is part of a digital message of lines 24-27, with the types of implicit jumps being type_1 and type_2, in col. 5, lines 49-65).

Argade's teaching of identifying an implicit jump from among several types of implicit jumps enables real-time program tracing which enables the user to re-construct a full program trace (Argade, col. 5, lines 35-38).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teaching of Argade with the invention of the Nexus 5001 Forum in order to successfully debug most programs, as explained above. Note that the combination of Argade and Nexus would teach the claimed limitations, which is explained as follows.

Argade teaches of identifying types of implicit jumps in trace information. The invention of Nexus entails sending out trace information via digital messages. It would have been further obvious to one of ordinary skill in the art at the time of the invention to include the trace information of Argade into the digital messages of Nexus in order to decrease cost and space, for example (e.g. incorporating the type of implicit jump in the tracing mechanisms already existing in Nexus, as opposed to creating some entirely new method of trace information transmission solely for the use of conveying implicit jump type information, would obviate the cost of this hypothetical new method of trace information transmission as well as the space necessary to implement this hypothetical new method of trace information transmission. The implementation of the trace information of Argade into the digital messages of Nexus thus teaches the limitations of adding a field to the digital message, the field comprising a second set of bits identifying a type of the implicit jump from among several types of implicit jumps.

Additionally, it would have been further obvious to one of ordinary skill in the art at the time of the invention to include the trace information of Argade, which identifies types of implicit jumps, in only the implicit jump messages of Nexus, in order to increase efficiency, as an explicit jump message of Nexus would logically have no use for information identifying a type of implicit jump (as an explicit jump is not an implicit jump at all), and forgoing the field in explicit jump messages would decrease the size of the explicit jump messages, thus increasing transmission efficiency. The implementation of the trace information of Argade into the digital messages of Nexus thus teaches the

Art Unit: 2183

limitations of adding a field to the implicit jump message wherein the field is added only when the first set of bits is set to the second value.

14. **Consider claim 8**, Nexus 5001 Forum discloses detecting a jump in the execution of the instruction sequence from an initial instruction to a jump destination instruction, wherein the jump destination instruction is different from an instruction following the initial instruction in the instruction sequence (page 59 of 150, Table 6-6 and 6-7, branch message and indirect branch messages, the detection is inherent in the transmission of these messages); generating at least one digital message upon the detection of the jump (Table 6-6 and 6-7), when the jump is implicit, generating the at least one digital message as an implicit jump message indicating an occurrence of an implicit jump (Table 6-7 shows that the TCODE set of bits will be equal to 4) when the jump is not implicit, generating the at least one digital message as an explicit jump message (Table 6-6); and transmitting the at least one digital message (page 52 of 150, section 6.2, transmission).

However, Nexus 5001 Forum does not explicitly disclose only when the jump is implicit, adding an additional field to the implicit jump message, wherein the additional field includes a value identifying a type of the implicit jump.

On the other hand, Argade does disclose of identifying a jump as an implicit jump from among several types of implicit jumps by assigning to a set of bits a specific value (col. 5, lines 39-45, the INSTR_TYPE, which is part of a digital message of lines 24-27, with the types of implicit jumps being type_1 and type_2, in col. 5, lines 49-65).

Argade's teaching of identifying an implicit jump from among several types of implicit jumps enables real-time program tracing which enables the user to re-construct a full program trace (Argrade, col. 5, lines 35-38).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teaching of Argade with the invention of the Nexus 5001 Forum in order to successfully debug most programs, as explained above. Note that the combination of Argade and Nexus would teach the claimed limitations, which is explained as follows.

Argade teaches of identifying types of implicit jumps in trace information. The invention of Nexus entails sending out trace information via digital messages. It would have been further obvious to one of ordinary skill in the art at the time of the invention to include the trace information of Argade into the digital messages of Nexus in order to decrease cost and space, for example (e.g. incorporating the type of implicit jump in the tracing mechanisms already existing in Nexus, as opposed to creating some entirely new method of trace information transmission solely for the use of conveying implicit jump type information, would obviate the cost of this hypothetical new method of trace information transmission as well as the space necessary to implement this hypothetical new method of trace information transmission. The implementation of the trace information of Argade into the digital messages of Nexus thus teaches the limitations of adding a field to the digital message, the additional field including a value identifying a type of the implicit jump.

Additionally, it would have been further obvious to one of ordinary skill in the art at the time of the invention to include the trace information of Argade, which identifies types of implicit jumps, in only the implicit jump messages of Nexus, in order to increase efficiency, as an explicit jump message of Nexus would logically have no use for information identifying a type of implicit jump (as an explicit jump is not an implicit jump at all), and forgoing the field in explicit jump messages would decrease the size of the explicit jump messages, thus increasing transmission efficiency. The implementation of the trace information of Argade into the digital messages of Nexus thus teaches the limitations of adding a field to the implicit jump message wherein the field is added only when the jump is implicit.

15. **Consider claim 11**, Nexus 5001 Forum discloses a monitoring circuit integrated on a microprocessor for (Table 7-1, Auxiliary Pins required per interface; also, some form of monitoring circuit is inherent given that trace messages are being sent based on program flow): detecting, on execution of an instruction sequence by the microprocessor, a jump from an initial instruction to a jump destination instruction, wherein the jump destination instruction is different from an instruction following the initial instruction in the instruction sequence (page 59 of 150, Table 6-6 and 6-7, branch message and indirect branch messages, the detection is inherent in the transmission of these messages); only when the jump is implicit, providing at least one digital message as an implicit jump message transmitted on the execution of the instruction sequence by the microprocessor and indicating an occurrence of an implicit jump (Table 6-7 shows

Art Unit: 2183

that the TCODE set of bits will be equal to 4; page 52 of 150, section 6.2, transmission); when the jump is not implicit, providing the at least one digital message as an explicit jump message (see above citation); an analysis tool to reconstitute the instruction sequence based on the at least one digital message; and at least one monitoring terminal to provide the at least one digital message from the monitoring circuit to the analysis tool (Table 7-1, Auxiliary Pins required per interface; also, some form of monitoring circuit is inherent given that trace messages are being sent based on program flow; page 5 of 150, last paragraph, program trace visibility, development tools, page 51 of 150, first paragraph, the tool; page 58 of 150, section 6.4.4, program trace).

However, Nexus 5001 Forum does not explicitly disclose only when the jump is implicit, adding a field to the implicit jump message, wherein the field includes a value identifying a type of the implicit jump.

On the other hand, Argade does disclose of identifying a jump as an implicit jump from among several types of implicit jumps by assigning to a set of bits a specific value (col. 5, lines 39-45, the INSTR_TYPE, which is part of a digital message of lines 24-27, with the types of implicit jumps being type_1 and type_2, in col. 5, lines 49-65).

Argade's teaching of identifying an implicit jump from among several types of implicit jumps enables real-time program tracing which enables the user to re-construct a full program trace (Argrade, col. 5, lines 35-38).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teaching of Argade with the invention of the Nexus 5001 Forum in order to successfully debug most programs, as explained above. Note

Art Unit: 2183

that the combination of Argade and Nexus would teach the claimed limitations, which is explained as follows.

Argade teaches of identifying types of implicit jumps in trace information. The invention of Nexus entails sending out trace information via digital messages. It would have been further obvious to one of ordinary skill in the art at the time of the invention to include the trace information of Argade into the digital messages of Nexus in order to decrease cost and space, for example (e.g. incorporating the type of implicit jump in the tracing mechanisms already existing in Nexus, as opposed to creating some entirely new method of trace information transmission solely for the use of conveying implicit jump type information, would obviate the cost of this hypothetical new method of trace information transmission as well as the space necessary to implement this hypothetical new method of trace information transmission. The implementation of the trace information of Argade into the digital messages of Nexus thus teaches the limitations of adding a field to the digital message, wherein the field includes a value identifying a type of the implicit jump.

Additionally, it would have been further obvious to one of ordinary skill in the art at the time of the invention to include the trace information of Argade, which identifies types of implicit jumps, in only the implicit jump messages of Nexus, in order to increase efficiency, as an explicit jump message of Nexus would logically have no use for information identifying a type of implicit jump (as an explicit jump is not an implicit jump at all), and forgoing the field in explicit jump messages would decrease the size of the explicit jump messages, thus increasing transmission efficiency. The implementation of

Art Unit: 2183

the trace information of Argade into the digital messages of Nexus thus teaches the limitations of adding a field to the implicit jump message, wherein the field includes a value identifying a type of the implicit jump.

16. **Consider claim 2**, Nexus 5001 Forum discloses a step of assigning to a third set of bits of the at least one digital message a value corresponding to a number of instructions executed by the microprocessor since a last executed instruction of the instruction sequence for which a digital message associated with a jump was transmitted (page 59, Table 6-6 and 6-7, the I-CNT field).

17. **Consider claim 3**, Nexus 5001 Forum discloses a step of assigning to a fourth set of bits of the implicit jump message a value representative of the address of the destination instruction (Nexus 5001 Forum, Table 6-7, U-ADDR).

18. **Consider claim 4**, Argade discloses the type of the implicit jump corresponds to a jump resulting from a jump instruction of the instruction sequence containing a reference of a register that stores data representative of the destination instruction address (col. 5, lines 59-65, register indirect jump or call).

19. **Consider claim 5**, Argade discloses a jump type corresponds to a jump forced by the microprocessor, the destination instruction corresponding to an instruction comprising a series of specific instructions which are different from instructions of the instruction sequence (col. 5, lines 49-52, hardware interrupt).

20. **Consider claim 6**, Argade discloses the type of the implicit jump corresponds to a jump forced by the microprocessor, the destination instruction being an instruction of the instruction sequence (col. 5, lines 59-65, register indirect jump or call).

21. **Consider claim 9**, Nexus 5001 Forum and Argade disclose detecting the jump further comprises determining whether the jump is associated with a jump instruction of the instruction sequence explicitly indicating an address of a jump destination instruction of the jump instruction (Nexus 5001 Forum, page 59 of 150, Table 6-6 and 6-7, branch message and indirect branch messages; it is inherent a determination takes places as either of the two messages are formed as a result of whether the address is explicitly indicated or not); and generating at least one digital message upon the detection of the jump comprises: when it is determined that the jump instruction explicitly indicates the address of the jump destination instruction, assigning a first value to a first set of bits of the at least one digital message to provide the explicit jump message (Nexus 5001 Forum, Table 6-6 and Table 6-7, when yes, Table 6-6 shows that the TCODE set of bits will be equal to 3); and when it is determined that the jump instruction does not explicitly indicate the address of the jump destination instruction: assigning a second value to the first set of bits of the at least one digital message to provide the implicit jump message (Nexus 5001 Forum, when no, Table 6-7 shows that the TCODE set of bits will be equal to 4); and assigning to the additional field of the implicit jump message comprising a second set of bits a third value identifying the type of the implicit jump (Argade, as explained in the independent claim, col. 5, lines 39-45, the INSTR_TYPE, which is part

Art Unit: 2183

of a digital message of lines 24-27, with the types of jumps being type_1, type_2 in col. 5, lines 49-65).

22. **Consider claim 10**, Nexus 5001 Forum and Argade disclose the at least one digital message is transmitted through output terminals of a monitoring circuit integrated on the microprocessor (Nexus 5001 Forum, Table 7-1, Auxiliary Pins required per interface; Argade, col. 6, lines 24-27, wherein the signal is the digital message; col. 6, lines 46-48, wherein the shifting to the JTAG interface is the first phase of transmittal; and col. 4, lines 63-65, wherein the movement into the JTAG port and the debug host computer is the second phase of transmittal, col. 4, 59-65, JTAG interface and port, col. 4, lines 51, 59-65, HDS block)

23. **Consider claims 12-15**, Nexus 5001 Forum and Argade disclose a modification of the at least one digital message to indicate the type of the implicit jump is reduced by adding the field only when the at least one digital message is provided as the implicit jump message (see the rejections of the independent claim which further explain how this limitation is met).

Response to Arguments

24. Applicant's arguments filed 11/25/2008 have been fully considered but they are not persuasive.

Art Unit: 2183

25. Examiner notes that in addition to the new response to arguments made below, the above rejection has also been reworded to expand upon the previously made combination of prior art references in view of current and prior arguments.

26. Applicant argues on page 8 that Argade discloses that each discontinuity and conditionally execution instruction results in an INSTR_TYPE signal, whereas the instant claims recite only that implicit jump instructions result in an INSTR_TYPE signal. However, the primary art of Nexus 5001 Forum already distinguishes between implicit and explicit jump instructions. Nexus 5001 Forum essentially conveys an instruction is a type-3 instruction by transmitting a direct branch message, and conveys an instruction is *not* a type-3 instruction by transmitting an indirect branch message. Therefore, the aspect of Argade which is being applied to Nexus 5001 Forum is the concept of further distinguishing between different types of instructions that are not type-3 instructions by indicating whether an instruction that is not a type-3 instruction is a type-1 or type-2 instruction, and the overall combination of Nexus 5001 Forum as modified by Argade does teach the claimed limitation.

27. Applicant argues on page 9 that Argade only describes jump type signals and not a jump type field. Although a "field" can be broadly interpreted to be a collection of signals, Nexus 5001 Forum, the primary art, nevertheless discloses of fields in a message, and the rejection above describes how the teaching of Argade would be applied to the environment of Nexus 5001 Forum.

28. Applicant again argues on page 9-10 that it is not clear as to why one of skill in the art would add an instr_type signal of Argade to the indirect branch message of Nexus 5001 forum without also adding it to the direct branch message of Nexus 5001 Forum. However, as explained in depth in the rejection above, Argade himself does not use direct and indirect branch messages. Therefore, Argade instruction type signal may indicate a type_3 discontinuity in order to signify that a direct branch has occurred. On the other hand, Nexus 5001 forum, the primary art, uses direct and indirect branch messages. The use of a direct branch message itself signifies that a type_3 discontinuity has occurred. Therefore, there is no reason why one of ordinary skill in the art would implement the instruction type signal which indicates a type_3 discontinuity to Nexus 5001 Forum because Nexus 5001 Forum *already* indicates a type_3 discontinuity. In contrast, Nexus 5001 Forum does not specifically indicate whether an indirect branch message is a type_1 or a type_2 discontinuity, and therefore, it is this aspect of Argade which is being implemented into the invention of Nexus 5001 Forum.

29. Applicant argues in the middle of page 10 that it is not clear why one of skill in the art would include the jump type field to the indirect branch message and not both the indirect branch message and the direct branch message. However, as explained above, Nexus 5001 forum already indicates a type_3 discontinuity in its use of a direct branch message. Nexus 5001 forum does not, however, distinguish between types of implicit branches in its indirect branch message. On the other hand, Argade does

Art Unit: 2183

disclose of distinguishing between types of implicit branches. It is this teaching which is being applied to the invention and environment of Nexus 5001 forum. It would be very readily recognized to one of ordinary skill in the art that there would be absolutely no purpose in having a field which distinguishes between types of implicit branches *for explicit branches*.

30. Applicant argues the remaining independent claims in an analogous manner, and thus the responses to arguments above are likewise applicable to these independent claims.

Conclusion

31. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Keith Vicary whose telephone number is (571)270-1314. The examiner can normally be reached on Monday - Thursday, 6:15 a.m. - 5:45 p.m., EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Chan can be reached on 571-272-4162. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2183

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Eddie P Chan/
Supervisory Patent Examiner, Art Unit 2183

/Keith Vicary/
Examiner, Art Unit 2183